


Installation manual No. 1810

09/15

MURAX P47 SHUTTERS

MURAX SHUTTERS WITH SMALL SLATS Hoist operation



(Document reserved for installers)

This document is the exclusive property of FTFM La Toulousaine and must on no account be copied. The document may be modified at any time in accordance with product changes.



Installation instructions

CAUTION!



To ensure that this product is assembled, used and maintained in complete safety, it is important to follow the instructions provided in this document. For everyone's safety,

- * Before beginning the assembly, read this manual carefully.
- * This closure must be installed by a properly trained, professional technician.

* All the parts delivered are specifically sized for this product. Adding other parts may be detrimental to safety and may affect the product's warranty.

* Any modification or improvement of this closure must be compliant with the standard EN 13241-1. In this case, a "modification/transformation" file must be created by the installer as per the standard EN 12635 annex C.

* Considerable force is exerted by the torsions springs or spring boxes, in the case of compensated shutters or grilles. This work must therefore be carried out in accordance with the safety instructions. Use the appropriate tools to install these products. Ensure that the work is carried out on a stable floor.

* Ensure that the assembly area is adequately lit, clear, clean and clearly marked out.

* Ensure that no other people are present at the assembly site apart from the installers. Non-authorized persons (children for example!) who are present at the site risk injury during assembly.

* All the components of this closure must be installed in compliance with the installation instructions provided in this manual.

* All the requirements of the standards EN 13241-1 must be met and verified if necessary.

Max. locking torque:

- Assembly screw: 10 Nm
- Shutter clip screw: 12 Nm

Min. working load per attachment point:


- Plates: 300 daN

- Guiding rails: 40 daN

<u>Please note</u>: If installing on an iron structure, the guiding rails and plates can be welded to the building. In this case, a cord of approximately 50 mm must be attached to each side, roughly 800 mm apart.

This document is the exclusive property of FTFM La Toulousaine and must on no account be copied. The document may be modified at any time in accordance with product changes






p.3


ROLLING DIRECTION FOR A MURAX SHUTTER

The height and the rolling of the shutter are calculated with a precise number of slats. All the slats provided must be installed.




This document is the exclusive property of FTFM La Toulousaine and must on no account be copied. The document may be modified at any time in accordance with product changes









This document is the exclusive property of FTFM La Toulousaine and must on no account be copied. The document may be modified at any time in accordance with product changes.



